

Memorandum

To: All Fellows, Affiliates, Associates, and Correspondents of the Canadian Institute of Actuaries and other interested parties

From: Conrad Ferguson, Chair
Actuarial Standards Board
Jean-Yves Rioux, Chair
Designated Group

Date: July 28, 2017

Subject: **Final Communication of Updated Promulgations of the Ultimate Reinvestment Rates and Calibration Criteria for Stochastic Risk-Free Interest Rates in the Standards of Practice for the Valuation of Insurance Contract Liabilities: Life and Health (Accident and Sickness) Insurance (Subsection 2330)**

Document 217081

1. Introduction

Subsection 2330 of the Practice-Specific Standards of Practice on Insurance Contract Valuation: Life and Health (Accident and Sickness) Insurance (Section 2300) refers to a number of economic parameters that would be promulgated from time to time by the Actuarial Standards Board (ASB). These economic parameters are the ultimate reinvestment rates (URRs), and the calibration criteria for stochastic risk-free interest rates.

The ASB appointed a designated group (DG) to develop these promulgations.

An [initial communication](#) regarding this promulgation was published on May 11, 2017, with a comment period ending on July 10, 2017. The process being used to implement this is described in section E of the ASB's Policy on Due Process for the Adoption of Standards of Practice.

Comments from four parties were received following the publication of the initial communication. The DG considered them all. The comments did not lead to any substantive changes.

The ASB decided to promulgate the use of the economic parameters described below, to be effective October 28, 2017. The ASB intends to review this promulgation every five

years, or sooner if circumstances warrant, as was the case given the persistent low interest-rate environment.

2. Promulgation of Ultimate Reinvestment Rates

Paragraph 2330.11 includes a reference to ultimate risk-free reinvestment rates (URR) that are used in the construction of the base and prescribed scenarios:

.11 The Actuarial Standards Board will promulgate from time to time the following ultimate risk-free reinvestment rates for use in the base scenario and the prescribed scenarios:

- Short-term ultimate risk-free reinvestment rate-high;
- Long-term ultimate risk-free reinvestment rate-high;
- Short-term ultimate risk-free reinvestment rate-median;
- Long-term ultimate risk-free reinvestment rate-median;
- Short-term ultimate risk-free reinvestment rate-low; and
- Long-term ultimate risk-free reinvestment rate-low.

2.1. Proposed Promulgation

The promulgated ultimate (risk-free) reinvestment rates to be used in the base scenario and in the prescribed scenarios are as follows:

- The short-term ultimate risk-free reinvestment rate-high shall be 9.6%;
- The long-term ultimate risk-free reinvestment rate-high shall be 10.0 %;
- The short-term ultimate risk-free reinvestment rate-median shall be 4.0 %;
- The long-term ultimate risk-free reinvestment rate-median shall be 5.2 %;
- The short-term ultimate risk-free reinvestment rate-low shall be 1.3 %; and
- The long-term ultimate risk-free reinvestment rate-low shall be 3.2 %.

2.2. Rationale

The ultimate risk-free reinvestment rates in this promulgation were developed with the support of extensive testing, to be reasonably consistent with the range of risk-free interest rates that would be generated by a stochastic model that satisfies the proposed promulgated calibration criteria for stochastic risk-free interest rates, also outlined in this document. The URR-median short-term and long-term rates were set equal to the median value (rounded to the nearest 10 basis points) of observed historical one-year maturity and 20-year maturity yields respectively. The URR-low and URR-high rates were set using the distribution of yields generated by a stochastic model that satisfies the proposed promulgated calibration criteria. The distributions were assessed 60 years from the projection starting point, and the selected URR-low and URR-high rates were set to approximate the average of the lowest and highest 30 percent of observed risk-free interest rates in the stochastic projections respectively.

3. Promulgation of Calibration Criteria for Stochastic Risk-Free Interest Rates

Paragraph 2370.03 includes a reference to calibration criteria for stochastic risk-free interest rates that would be met when the selection of risk-free interest rate scenarios is stochastic:

.03 Where the interest rate scenarios selected are stochastically modelled, the actuary’s calibration of stochastic models should meet the criteria for risk-free interest rates as promulgated from time to time by the Actuarial Standards Board.

3.1. Proposed Promulgation

Promulgated calibration criteria are provided for the following:

1. The left and right tail and the mean reversion of the long-term risk-free interest rate;
2. The left and right tail of the short-term risk-free interest rate; and
3. The slope of the risk-free interest rates curve.

All calibration criteria are expressed as bond-equivalent yields.

Calibration for the Long-Term Risk-Free Interest Rate

The long-term risk-free rate is assumed to be a term of 20 years or greater.

Left- and right-tail calibration criteria for the long-term risk-free interest rate are provided for the two-year, 10-year, and 60-year horizons. Risk-free interest rate scenarios at the two-year and 10-year horizons are influenced by the initial starting risk-free interest rate, so calibration criteria at each of a 4.00%, 6.25%, and 9.00% starting long-term risk-free interest rate are provided. At the 60-year horizon, the impact of the starting rate is assumed to be minimal, so only calibration criteria at a single starting rate of 6.25% are provided.

The following table shows the left- and right-tail criteria for the long-term risk-free interest rate.

Horizon		Two-Year			10-Year			60-Year
Initial Rate		4.00%	6.25%	9.00%	4.00%	6.25%	9.00%	6.25%
Left-Tail Percentile	2.5 th	2.70%	4.25%	6.40%	2.25%	2.85%	3.95%	2.30%
	5.0 th	3.00%	4.55%	6.80%	2.45%	3.15%	4.50%	2.60%
	10.0 th	3.20%	4.90%	7.20%	2.80%	3.70%	5.15%	2.90%
Right-Tail Percentile	90.0 th	5.20%	7.65%	10.50%	6.90%	9.10%	11.50%	10.00%
	95.0 th	5.55%	8.10%	11.00%	7.90%	10.10%	12.60%	11.90%
	97.5 th	5.90%	8.50%	11.50%	8.70%	10.95%	13.60%	13.30%

These calibration criteria would be satisfied if the stochastic risk-free interest rate model produces results that are less than or equal to each of the left-tail calibration criteria, and greater than or equal to each of the right-tail calibration criteria, for each of the initial rates.

For all stochastic long-term risk-free interest rate models, the period of mean reversion would not be less than 14.5 years. The period of mean reversion is also referred to as the time constant. In a model with an explicit mean reversion speed of a , the period of the mean reversion is equal to $1/a$. For simple stochastic risk-free interest rate models with an explicit mean reversion factor, this requirement can be satisfied by considering the value of the mean reversion parameter directly. For more complex models, this requirement can be satisfied by using a mathematical proof or using the procedure in appendix A.

Calibration for the Short-Term Risk-Free Interest Rate

The short-term risk-free interest rate is assumed to be the one-year term.

Left- and right-tail calibration criteria for the short-term risk-free interest rate are provided for the two-year and 60-year horizons. Interest rate scenarios at the two-year horizon are influenced by the initial starting interest rate, so calibration criteria at each of a 2.00%, 4.50%, and 8.00% starting short-term risk-free interest rate are provided. At the 60-year horizon, the impact of the starting risk-free interest rate is assumed to be minimal, so only calibration criteria at a single starting risk-free interest rate of 4.50% are provided.

The following table shows the left- and right-tail criteria for the short-term risk-free interest rate.

Calibration Criteria for the Short-Term Risk-Free Rate (One-Year Maturity)

Horizon		Two-Year			60-Year
Initial Rate		2.00%	4.50%	8.00%	4.50%
Left-Tail Percentile	2.5 th	0.45%	1.25%	2.85%	0.60%
	5.0 th	0.65%	1.55%	3.55%	0.80%
	10.0 th	0.90%	2.00%	4.40%	0.85%
Right-Tail Percentile	90.0 th	4.25%	7.50%	11.00%	10.00%
	95.0 th	5.10%	8.35%	12.05%	12.00%
	97.5 th	5.95%	9.15%	12.95%	13.65%

These calibration criteria would be satisfied if the stochastic risk-free interest rate model produces results that are less than or equal to each of the left-tail calibration criteria, and greater than or equal to each of the right-tail calibration criteria, for each of the initial risk-free interest rates.

Calibration for the Slope of the Risk-Free Interest Rates Curve

The slope of the yield curve is defined as the long-term risk-free interest rate less the short-term risk-free interest rate. Calibration criteria for the slope are provided for the 60-year horizon.

The following table shows the criteria for the slope of the risk-free interest rates curve.

60-Year Slope Calibration Criteria

Percentile	Calibration Criteria
5 th	-1.00%
10 th	-0.10%
90 th	2.50%
95 th	3.00%

These calibration criteria will be satisfied if the distribution of the slope values produced by the model at the 60-year horizon are less than or equal to each of the left-tail calibration criteria and are greater than or equal to each of the right-tail calibration criteria.

Strict adherence to the calibration criteria may not be necessary in order for the stochastic risk-free interest rate scenarios to be used, particularly where some of the short-term rates, long-term rates, or slopes do not have a material impact on the valuation. It may also be possible to satisfy left-tail calibration criteria, but not right-tail calibration criteria if it can be shown that this provides for a more conservative result. In these cases, refer to CIA guidance on materiality and the use of approximations.

3.2. Rationale

An educational note supplement [Calibration of Stochastic Risk-Free Interest Rate Models for Use in CALM Valuation](#) was released by the Canadian Institute of Actuaries (CIA) Committee on Life Insurance Financial Reporting; it provides the basis for the proposed promulgated calibration criteria for stochastic risk-free interest rates. As noted in the educational note supplement, models that satisfy the calibration criteria will be appropriate for use when actual risk-free interest rates are lower than the reference initial risk-free interest rates used for the calibration criteria (which were selected for consistency with the previous research paper published on the calibration of the long-term risk-free interest rate).

4. Criteria for the Adoption of Standards of Practice

The promulgations of the URRs and calibration criteria for stochastic risk-free interest rates meet the criteria set out in section B of the ASB's Policy on Due Process for the Adoption of Standards of Practice. Specifically,

1. The public interest is advanced through the use of consistent criteria for establishing risk-free interest rate assumptions and thereby constraining risk-free interest rate assumptions to a reasonable range.
2. Provision is made for the appropriate application of professional judgment within a reasonable range. The proposed calibration criteria allow the actuary to use any model that fits with the promulgated calibration criteria for stochastic risk-free interest rates.
3. Use of the proposed calibration criteria and URRs is practical for actuaries with relevant training.
4. The proposed promulgation is considered to be unambiguous.

5. Due Process

Due process was followed in developing this final promulgation document, as described in section D of the ASB's Policy on Due Process for the Adoption of Standards of Practice.

6. Effective Date

The promulgations are effective October 28, 2017 with the final communication of the promulgations. Early implementation is permitted.

CF, JYR

Appendix A

Satisfaction of the mean reversion criterion can be demonstrated with the following procedure (unchanged):

1. Sort scenarios for lowest to highest long-term rate at projection year T_0 , where T_0 is sufficiently long to accumulate substantial dispersion in rates, but not so long as to be beyond most expected reinvestments. For a typical long-term guaranteed block, T_0 might be in the range of five to 10 years.
2. Group the scenarios by rate quartile at T_0 , from lowest (Quartile 1) to highest (Quartile 4). Calculate the magnitude of dispersion of low-rate scenarios from central scenarios dispersion (T_0) = average rate (T_0) within combined (quartile 2 and quartile 3) – average rate (T_0) within quartile 1.
3. Using the same scenario grouping (ranked at T_0 , *not* re-ranked at T_0+10) calculate 10-year-later dispersion (T_0+10 , ranked T_0) = average rate (T_0+10) within combined (quartile 2 and quartile 3) – average rate (T_0+10) within quartile 1.
4. The mean reversion criterion over the projection period from T_0 to $T_0 +10$ is satisfied if dispersion (T_0+10 , ranked T_0) $\geq 0.5 * \text{dispersion } (T_0)$.
5. If the actuary can demonstrate that the model rate of mean reversion is similarly robust across other projection periods, this single test would be sufficient. If not, the test would be repeated across sufficient financially meaningful periods to demonstrate sustained periods of low rates.
6. Should periods of sustained high rates be financially stressful for a particular application in the opinion of the actuary, the demonstration would be repeated for these rates (quartile 4 relative to quartiles 2 and 3).